	Hits	Search Text	DBs
1	69	((pulse adj generator) and demodulator and ((synchronization or sync or synch) adj (detect or detector or detection)) and clock and control and (@rlad < "19991029" or @ad<"19991029"))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
2	65	((pulse adj generator) and demodulator and ((synchronization or sync or synch) adj (detect or detector or detection)) and clock and control and (@rlad < "19991029" or @ad<"19991029"))	USPAT; EPO; JPO; DERWENT; IBM_TDB
3	2	((375/368 or 375/365 or 375/362 or 375/354).ccls.) and ((pulse adj generator) and demodulator and ((synchronization or sync or synch) adj (detect or detector or detection)) and clock and control and (@rlad < "19991029" or @ad<"19991029"))	USPAT; EPO; JPO; DERWENT; IBM_TDB
4	3	((375/368 or 375/365 or 375/362 or 375/354 or 375/334).ccls.) and ((pulse adj generator) and demodulator and ((synchronization or sync or synch) adj (detect or detector or detection)) and clock and control and (@rlad < "19991029" or @ad<"19991029"))	USPAT; EPO; JPO; DERWENT; IBM_TDB
5	2	"6522665".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB

	Hits	Search Text	DBs
6	3	((375/368 or 375/365 or 375/362 or 375/354).ccls.) and ((pulse adj generator) and demodulator and ((synchronization or sync or synch) adj (pattern)) and clock and control and (memor$5 or stor$5) and (@rlad < "19991029" or @ad<"19991029"))	USPAT; EPO; JPO; DERWENT; IBM_TDB
7	3	((375/368 or 375/365 or 375/362 or 375/354).ccls.) and ((pulse adj generator) and demodulator and ((synchronization or sync or synch) adj (pattern)) and clock and control and (memor$5 or stor$5) and (@ad<"19991029"))	USPAT; EPO; JPO; DERWENT; IBM_TDB
8	32	((pulse adj generator) and demodulator and ((synchronization or sync or synch) adj (pattern)) and clock and control and (memor$5 or stor$5) and (@ad<"19991029"))	USPAT; EPO; JPO; DERWENT; IBM_TDB
9	29	(((pulse adj generator) and demodulator and ((synchronization or sync or synch) adj (pattern)) and clock and control and (memor$5 or stor$5) and (@ad<"19991029"))) not (((375/368 or 375/365 or 375/362 or 375/354).ccls.) and ((pulse adj generator) and demodulator and ((synchronization or sync or synch) adj (pattern)) and clock and control and (memor$5 or stor$5) and (@ad<"19991029")))	USPAT; EPO; JPO; DERWENT; IBM_TDB

	Hits	Search Text	DBs
10	9	(((((pulse adj generator) and demodulator and ((synchronization or sync or synch) adj (pattern)) and clock and control and (memor$5 or stor$5) and (@ad<"19991029"))) not (((375/368 or 375/365 or 375/362 or 375/354).ccls.) and ((pulse adj generator) and demodulator and ((synchronization or sync or synch) adj (pattern)) and clock and control and (memor$5 or stor$5) and (@ad<"19991029")))) and burst	USPAT; EPO; JPO; DERWENT; IBM_TDB
11	4	(((((pulse adj generator) and demodulator and ((synchronization or sync or synch) adj (pattern)) and clock and control and (memor$5 or stor$5) and (@ad<"19991029"))) not (((375/368 or 375/365 or 375/362 or 375/354).ccls.) and ((pulse adj generator) and demodulator and ((synchronization or sync or synch) adj (pattern)) and clock and control and (memor$5 or stor$5) and (@ad<"19991029")))) and burst and (wireless or radio)	USPAT; EPO; JPO; DERWENT; IBM_TDB

	Hits	Search Text	DBs
12	4	(((((pulse adj generator) and demodulator and ((synchronization or sync or synch) adj (pattern)) and clock and control and (memor$5 or stor$5) and (@ad<"19991029"))) not (((375/368 or 375/365 or 375/362 or 375/354).ccls.) and ((pulse adj generator) and demodulator and ((synchronization or sync or synch) adj (pattern)) and clock and control and (memor$5 or stor$5) and (@ad<"19991029")))) and burst and (wireless or radio) and receiv$5	USPAT; EPO; JPO; DERWENT; IBM_TDB
13	1	jp-57121385-$.did.	USPAT; EPO; JPO; DERWENT; IBM_TDB
14	36	((pulse adj generator) and demodulator and ((synchronization or sync or synch) adj (pattern)) and (memor$5 or stor$5) and (@ad<"19991029"))	USPAT; EPO; JPO; DERWENT; IBM_TDB
15	4	((((pulse adj generator) and demodulator and ((synchronization or sync or synch) adj (pattern)) and (memor$5 or stor$5) and (@ad<"19991029"))) not (((pulse adj generator) and demodulator and ((synchronization or sync or synch) adj (pattern)) and clock and control and (memor$5 or stor$5) and (@ad<"19991029")))	USPAT; EPO; JPO; DERWENT; IBM_TDB

	Hits	Search Text	DBs
16	106	(sync$10 adj pattern$2) and (clock$5 adj generator$5) and (memor$5 or stor$5 or buffer$5) and demod$10 and receiv$5 and @ad<"19991029"	USPAT; EPO; JPO; DERWENT; IBM_TDB
17	36	(sync$10 adj pattern$2) and (clock$5 adj generator$5) and (memor$5 or stor$5 or buffer$5) and demod$10 and receiv$5 and burst and @ad<"19991029"	USPAT; EPO; JPO; DERWENT; IBM_TDB
18	87	((sync$10 adj pattern$2) and (clock$5 adj generator$5) and (memor$5 or stor$5 or buffer$5) and demod$10 and receiv$5 and @ad<"19991029") not odn	USPAT; EPO; JPO; DERWENT; IBM_TDB
19	40	(((sync$10 adj pattern$2) and (clock$5 adj generator$5) and (memor$5 or stor$5 or buffer$5) and demod$10 and receiv$5 and @ad<"19991029") not odn) and (wireless or rf or radio)	USPAT; EPO; JPO; DERWENT; IBM_TDB
20	2620	(demodulat$5 and receiv$5 and sync$10)	DERWENT
21	894	(demodulat$5 and receiv$5 and sync$10) and digital	DERWENT
22	0	u14a07c.emcd. and (demodulat$5 and receiv$5 and sync$10) and digital	DERWENT
23	0	u14a07c.emcd. and (demodulat$5 and receiv$5) and digital	DERWENT
24	0	u14a07c.emcd. and demodulat$5 and receiv$5 and digital	DERWENT
25	0	u14a07c.emcd. and receiv$5 and digital	DERWENT
26	0	u14a07c.emcd. and digital	DERWENT

	Hits	Search Text	DBs
27	0	u14-a07c.emcd. and (demodulat$5 and receiv$5 and sync$10) and digital	DERWENT
28	1070	W03-A06A.emcd. or W03-A06C.emcd.	DERWENT
29	3681	W03-A06A.emcd. or W03-A06C.emcd. or U14-A07C.emcd.	DERWENT
30	11	(W03-A06A.emcd. or W03-A06C.emcd. or U14-A07C.emcd.) and (demodulat$5 and receiv$5 and sync$10) and digital	DERWENT
31	2	"5859671".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
32	2	"6445423".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
33	0	(W03-A06A.emcd. or W03-A06C.emcd. or U14-A07C.emcd.) and (nonreception$5 or non-reception$5)	DERWENT
34	2	(W03-A06A.emcd. or W03-A06C.emcd. or U14-A07C.emcd.) and (nonreception$5 or non-reception$5 nonreceiv$5 or non-receiv$5)	DERWENT

	Hits	Search Text	DBs
35	2	(W03-A06A.emcd. or W03-A06C.emcd. or U14-A07C.emcd.) and (nonreception$5 or non-reception$5 or nonreceiv$5 or non-receiv$5)	DERWENT
36	2	(W03-A06A.emcd. or W03-A06C.emcd. or U14-A07C.emcd.) and (nonreception$5 or non-reception$5 or nonreceiv$5 or non-receiv$5 or unreceiv$5)	DERWENT
37	2	(W03-A06A.emcd. or W03-A06C.emcd. or U14-A07C.emcd.) and (nonreception$5 or non-reception$5 or nonreceiv$5 or non-receiv$5 or unreceiv$5 or ((no adj data) with time))	DERWENT
38	5	(W03-A06A.emcd. or W03-A06C.emcd. or U14-A07C.emcd.) and (nonreception$5 or non-reception$5 or nonreceiv$5 or non-receiv$5 or unreceiv$5 or ((no adj data) with (time or clock or period)))	DERWENT
39	1	"5764584".pn.	DERWENT
40	1	"5764584".pn.	USPAT
41	2	"6556250".pn.	USPAT; EPO; JPO; DERWENT; IBM_TDB

	Hits	Search Text	DBs
42	0	(W03-A06A.emcd. or W03-A06C.emcd. or U14-A07C.emcd.) and (emit$5 with (pulse$5 or signal$5) with disappear$5) and digital and demod$10	DERWENT
43	0	(emit$5 with (pulse$5 or signal$5) with disappear$5) and digital and demod$10	DERWENT
44	1	((pulse$5 or signal$5) with disappear$5) and digital and demod$10	DERWENT
45	955	((pulse$5 or signal$5) with disappear$5)	DERWENT
46	74	((pulse$5 or signal$5) with disappear$5) and digital	DERWENT
47	14	((pulse$5 or signal$5) with disappear$5) and digital and sync$10	DERWENT
48	0	((pulse$5 or signal$5) with disappear$5) and digital and sync$10 and demod$10	DERWENT
49	13	((pulse$5 or signal$5) with (disappear$5 or los$5 or stop$2)) and digital and sync$10 and demod$10 and receiv$5	DERWENT
50	24	((pulse$5 or signal$5) with (disappear$5 or los$5 or stop$2)) and digital and sync$10 and demod$10	DERWENT

	Hits	Search Text	DBs
51	24	(DE-3541031-$ or DE-3601576-$ or EP-251007-$ or US-20040022546-$ or DE-3501811-$ or EP-142187-$ or SU-1478379-$ or EP-394493-$ or EP-398824-$ or SU-1674243-$ or SU-1803976-$ or EP-554056-$ or JP-05304617-$ or EP-580482-$ or GB-2271230-$ or US-5477199-$ or DE-19733732-$ or WO-9944327-$ or WO-200027111-$ or SU-618782-$ or SU-898498-$ or DE-3140532-$ or DE-3228539-$ or EP-139757-$).did.	DERWENT
52	21	(DE-3541031-$ or DE-3601576-$ or EP-251007-$ or US-20040022546-$ or DE-3501811-$ or EP-142187-$ or SU-1478379-$ or EP-394493-$ or EP-398824-$ or SU-1674243-$ or SU-1803976-$ or EP-554056-$ or JP-05304617-$ or EP-580482-$ or GB-2271230-$ or US-5477199-$ or DE-19733732-$ or WO-9944327-$ or WO-200027111-$ or SU-618782-$ or SU-898498-$ or DE-3140532-$ or DE-3228539-$ or EP-139757-$).did. and (@ad<"19991029")	DERWENT

	Hits	Search Text	DBs
53	27	(DE-3541031-$ or DE-3601576-$ or EP-251007-$ or US-20040022546-$ or DE-3501811-$ or EP-142187-$ or SU-1478379-$ or EP-394493-$ or EP-398824-$ or SU-1674243-$ or SU-1803976-$ or EP-554056-$ or JP-05304617-$ or EP-580482-$ or GB-2271230-$ or US-5477199-$ or DE-19733732-$ or WO-9944327-$ or WO-200027111-$ or SU-618782-$ or SU-898498-$ or DE-3140532-$ or DE-3228539-$ or EP-139757-$).did. and (@ad<"19991029")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
54	6	(DE-3541031-$ or DE-3601576-$ or EP-251007-$ or US-20040022546-$ or DE-3501811-$ or EP-142187-$ or SU-1478379-$ or EP-394493-$ or EP-398824-$ or SU-1674243-$ or SU-1803976-$ or EP-554056-$ or JP-05304617-$ or EP-580482-$ or GB-2271230-$ or US-5477199-$ or DE-19733732-$ or WO-9944327-$ or WO-200027111-$ or SU-618782-$ or SU-898498-$ or DE-3140532-$ or DE-3228539-$ or EP-139757-$).did. and (@ad<"19991029")	US-PGPUB; USPAT; EPO; JPO; IBM_TDB
55	3	"6710814".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
56	5	("4967272" | "5574509" | "6195393" | "6377588" | "6400767").PN.	USPAT

	Hits	Search Text	DBs
57	4	"5402446".pn. or "4837854".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
58	15	"5402446".URPN.	USPAT
59	8	("4521918" | "4743864" | "4860321" | "4955075" | "4977613" | "5031231" | "5103464" | "5175884").PN.	USPAT
60	2	"5402446".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
61	33	((pulse adj generator) and demodulator and ((synchronization or sync or synch) adj (pattern)) and clock and control and (memor$5 or stor$5) and (@rlad < "19991029" or @ad<"19991029"))	USPAT; EPO; JPO; DERWENT; IBM_TDB
62	9	((pulse adj generator) and demodulator and (((synchronization or sync or synch) adj (pattern)) with demod$10) and clock and control and (memor$5 or stor$5) and (@rlad < "19991029" or @ad<"19991029"))	USPAT; EPO; JPO; DERWENT; IBM_TDB
63	138	(((((synchronization or sync or synch) adj (pattern)) with demod$10) and (@rlad < "19991029" or @ad<"19991029"))	USPAT; EPO; JPO; DERWENT; IBM_TDB
64	138	(((((synchronization or sync or synch) adj (pattern)) with demod$10) and (@ad<"19991029"))	USPAT; EPO; JPO; DERWENT; IBM_TDB

	Hits	Search Text	DBs
65	41	((((synchronization or sync or synch) adj (pattern)) near2 demod$10) and (@ad<"19991029"))	USPAT; EPO; JPO; DERWENT; IBM_TDB
66	72	((pulse adj generator) and demodulator and ((synchronization or sync or synch) adj (detect or detector or detection)) and clock and (@rlad < "19991029" or @ad<"19991029"))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
67	3	((375/368 or 375/365 or 375/362 or 375/354 or 375/334).ccls.) and (pulse adj generator) and demodulator and ((synchronization or sync or synch) adj (detect or detector or detection)) and clock and control and @ad<"19991029"	USPAT; EPO; JPO; DERWENT; IBM_TDB
68	3	((375/368 or 375/365 or 375/362 or 375/354 or 375/334).ccls.) and (pseudo$1random$7 near2 demodulat$7) and @ad<"19991029"	USPAT; EPO; JPO; DERWENT; IBM_TDB
69	0	S67 and S68	USPAT; EPO; JPO; DERWENT; IBM_TDB
70	64	(pulse adj generator) and demodulator and ((synchronization or sync or synch) adj (detect or detector or detection)) and clock and control and @ad<"19991029"	USPAT; EPO; JPO; DERWENT; IBM_TDB
71	58	(pseudo$1random$7 near2 demodulat$7) and @ad<"19991029"	USPAT; EPO; JPO; DERWENT; IBM_TDB

	Hits	Search Text	DBs
72	0	S70 and S71	USPAT; EPO; JPO; DERWENT; IBM_TDB
73	9	((375/368, 375/365, 375/362, 375/354, 375/334, 375/224, 375/225, 375/226, 375/316, 375/367, 370/503, 370/508, 370/509, 370/510, 370/511, 370/512, 370/513, 370/514, 370/507, 370/498, 370/464).ccls.) and (pseudo$1random$7 near2 demodulat$7) and @ad<"19991029"	USPAT; EPO; JPO; DERWENT; IBM_TDB